

2019 Engenia®, Fexapan™, and Xtendimax™

Application Record for Georgia*

1. Name of Certified Applicator		13. Buffer Requirements Must show buffer calculation. Always maintain a 110 foot buffer when applying this product from the downwind outer edges of the field. For counties harboring endangered terrestrial dicot plants, 110 foot downwind buffer plus a 57 foot buffer on all other sides is required.	
2. Certification Number			
3. Product Name/EPA Registration Number (circle one)	Engenia: 7969-345 Fexapan: 352-913 Xtendimax: 524-617		
4. Location of Application (farm name or address)			
5. Crop Planting Date			
6. Application Date		14. Spray System Cleanout	Date Cleaned:
7. Application Time of Day (between 1 hr. after sunrise and 2 hrs. before sunset only)	Start: Finish:		Method of cleaning:
8. Crop Treated		15. List Tank-Mixed Products (include EPA registration numbers)	
9. Size of Area Treated		16. Nozzle/GPA/ Pressure Range	
10. Total Amount of Product Applied		17. Air Temperature (at boom height)	Start: Finish:
11. Application Timing (circle one); if postemergence enter number of days after planting (DAP)	Preplant, Preemergence, or Postemergence (_____ DAP)	18. Wind Speed/ Direction (at boom height)	Start: Finish:
12. Sensitive Crop Awareness (crop and distance from closest point of application site) *Cannot apply if wind is blowing towards sensitive crops or residential areas!	North:	19. Temperature inversion present	Yes or No
	South:	20. Training Requirements <u>All applicators must have attended the 2019 Using Pesticides Wisely Training.</u> Trainings in previous years DO NOT fulfill certification requirements for 2019. Using Pesticides Wisely Training Date: _____	
	East:		
	West:		

**Certified applicator must keep records for 2 years and information on this form must be completed within 3 days after application. Current copy of herbicide labels and receipts of herbicide purchases are also required. This form has been approved by the Georgia Department of Agriculture.*