

## CHAPTER 620-2

### GENERAL

#### 620-2-.01 Definitions. Amended.

The following definitions shall apply to all Chapters 620-1 through 620-8:

(a) Act--means the Structural Pest Control Act (Ga. L. 1955, p. 564 and all amendments thereto).

(b) Active infestation of termites--means any infestation of termites that is capable of continued attack on a structure.

(c) Adjacent outside areas--means outside areas contiguous to the structure(s) being treated.

(d) Alternate application technique--means an alternate method of application of termiticide which has been approved by the Commission; and has efficacy data supporting the use of such application technique reviewed and accepted by the Commission; and which is used in a manner consistent with the label and labeling of the termiticide being applied. The Commission, at its discretion, may accept, reject, cancel, suspend or modify any application, at any time, for approval as an alternate application technique.

(e) Applicant--means any person, firm, corporation or other business entity making application to engage in any operations or to become certified or registered under the provision of the Act.

(f) Bait and Baiting System--means any substance or mixture of substances and devices used for delivery of the substance(s) used as an attractant or food source for the purpose of controlling targeted pests consistent with the product's label and labeling directions.

(g) Bond--means a written instrument issued or executed by a bonding, surety, or insurance company licensed to do business in this State, or otherwise approved by the Commission, guaranteeing the fulfillment of the agreement between the licensee or business entity and his customer. It is a Surety Bond issued by a third party and does not include any warranty or guaranty only between the licensee and the customer.

(h) Computer Based Training - means any prerecorded or static presentation or session where there is no real time interaction with the speaker.

(i) Cellulosic Material--means any material containing cellulose found in a crawl space that could reasonably be expected to support or contribute to an infestation of termites.

(j) Certified Operator--means any person who has been determined competent to use or supervise the use of pesticides, including restricted use pesticides or pesticides with State restricted uses as defined in this Act in the category(ies) of Structural Pest Control in which he is currently certified.

(k) Commission--means the Structural Pest Control Commission.

(l) Commissioner--means the Commissioner of Agriculture of the Georgia Department of Agriculture.

(m) Designated Certified Operator--means a person who is currently certified in one or more of the Structural Pest Control categories and who has been designated by a Licensee as being responsible for the pest control and reporting activities of said Licensee in the category(ies) in which he is certified.

(n) Device--means any piece of equipment of any form designed for the control of any pest when used in strict accordance with the device's label and labeling directions.

(o) Employee--means any person employed by a Licensee who is engaged in any phase of pest control. It does not include clerical, janitorial or other employees performing work unrelated to the actual evaluation or control of pest problems.

(p) Enforcement Agency--means the Georgia Department of Agriculture.

(q) Experience Relating to Service--means experience involving the inspection, application or direct supervision of the application of measures to control pests in each of the categories of Structural Pest Control.

(r) Fumigant--means any substance or combination of substances which emits or liberates a gas, fume, or vapor and which is applied for the purpose of destroying insects, rodents or other pests in Structural Pest Control.

(s) Household Pest Control--means the use of any pesticide or device to control pests that commonly enter structures, nest on or in structures, or invade structures. It does not include the control of mammals with the exception of commensal rodents.

(t) Insecticide--means any substance or mixture of substances applied for the purpose of destroying or controlling insects or related pests.

(u) Labeling--means the written, printed or graphic matter on, attached to, or accompanying the pesticide or device, as well as any such material to which reference is made on the label or other written matter accompanying the pesticide or device.

(v) Licensee--means a business entity which holds a valid license to engage in the business of Structural Pest Control, subject to the provisions of the Act, provided; no licensee shall operate under more than one name, and a separate license shall be required for each different name under which a business entity operates. The Commission may reject a name, if in its opinion, it is likely to be confused with a previously issued licensee name or if it would be in violation of any state or federal requirements.

(w) Non-Repellent Pesticide--means a type of pesticide that does not limit or restrict the movement of targeted pests through a treated area or does not deter the targeted pest from consuming a bait containing the pesticide.

(x) Office--means any office of a Licensee which has one or more registered employees regularly engaged in any phase of Structural Pest Control under the charge of a Designated Certified Operator.

(y) Partial Treatment--means the application of a pesticide and/or device, for the control of wood destroying organisms, to a limited and defined area of a structure. Such application may be made in conjunction with other approved control procedures. Such application shall be made at the volumes and concentrations specified on the products label and labeling.

(z) Pesticide--for the purpose of this Act, the term "pesticide" shall be limited to: attractants, fumigants, fungicides, insecticides, repellents and rodenticides.

(aa) Reasonable Amount of Time--means the production of records required to be kept or kept in the normal course of business within 48 hours when requested by the Commission, Commissioner or the authorized representative of the Commissioner. However, in cases of accidental poisonings of humans or domestic animals or in cases of environmental contamination, the requested records may be required to be produced immediately.

(ab) Registered Employee--means any employee, at least eighteen (18) years of age, registered under the provisions of the Act.

(ac) Repellent--means any substance which may or may not be toxic to pests, but is generally employed for the purpose of preventing the entrance or attack of pests.

(ad) Restricted Use Pesticide--means any pesticide as defined in this rule whose label bears one or more uses which have been classified as restricted by the Administrator of EPA or any use of a pesticide which, when used in accordance with the label or widespread and common practice, the Commissioner determines, after hearing, requires additional restrictions to protect the environment, including man, lands, beneficial insects, and any animal, crop or wildlife which is not a pest.

(ae) Retreatment For Termite Control--means the complete retreatment or partial treatment, at the required concentrations and volumes of termiticide to the minimum standards specified in Rule 620-6, of all areas of at least ten (10) feet in either direction from the point of any and all areas of termite reinfestation except as defined in Rule 620-6-.07(5).

(af) Rodenticide--means any substance used to destroy or control rodents.

(ag) School--means any school, public or private, or licensed child daycare center. A school does not include colleges, universities, home schools, trade or adult education facilities.

(ah) Secretary--means the Commissioner of Agriculture of the State of Georgia.

(ai) Service container--means any container used to hold, store, or transport a pesticide concentrate or a pesticide use-dilution mixture, other than the original labeled container in which the product was distributed or sold, the measuring device, or the application device.

(aj) Structural Pest Control--means the control of household pests and wood destroying organisms including the making of inspections, the identification of pest infestations or infections, the application of pesticides or other substances and the use of mechanical devices or structural modifications for the purpose of preventing, controlling or eradicating pests in household structures, commercial buildings and other structures, including adjacent outside areas, as well as all phases of structural fumigation and the fumigation of railroad cars, trucks, ships and airplanes.

(ak) Sub-office--means any office of a licensee having only one (1) registered employee who is under the charge of a Designated Certified Operator in a licensed office.

(al) Telephone Answering Service--means any office of a licensee having no registered employee.

(am) Under the Direct Supervision of--unless otherwise prescribed by its labeling or regulations of the Commissioner, a pesticide shall be considered to be applied under the direct supervision of a Certified Operator if it is applied by a competent person acting under the instructions and control of a Certified Operator who is available within a reasonable time through conventional means of communication, if and when needed, even though the Certified Operator is not physically present at the time and place the pesticide is applied.

**CHAPTER 620-3  
LICENSING**

**620-3-.01 Qualifications and Procedures. Amended.**

(1) All applications for licenses, certification and employee registration shall be made on the appropriate form required by the Commission and submitted to the Secretary, Structural Pest Control Commission, Georgia Department of Agriculture, Capitol Square, Atlanta, Georgia 30334.

(2) All licenses, certifications, employee registrations, and research fees, shall be for a period of two (2) years or fraction thereof and shall expire on June 30 in each odd numbered year. The two (2) year fee must be submitted, by check, money order or electronic fund transfer, with the application in the appropriate amount based upon the following:

Company License	\$100.00
Research Fee per Company License	\$70.00
Operator Certification	\$100.00
Employee Registration	\$10.00
Duplicate Registration Card	\$10.00
Duplicate License (Sub Office)	\$10.00

If an application and fee for renewal of any license, certification or employee registration is not received by the Secretary on or before its expiration date, the above fees shall double and shall be paid before a renewal is issued. No Company License shall be issued or renewed for any license period until the research fee has been paid, and the research fee shall not be subject to any late penalty. In no case shall a certification or license be renewed after more than ninety (90) days from the June 30 expiration date without reexamination or reapplication, nor shall any license be renewed or reissued within the two (2) year license period without payment of the double fee. When the research fees collected for any two year license period amount to \$90,000, the Secretary shall forward such amount to the Chairman of the Entomology Division of the University of Georgia, covering \$45,000 for each of the two fiscal years within that license period.

(3) Application for certification examination shall be submitted to the Secretary. An examination fee of forty five (45) dollars per category shall be required each time an examination is taken. If applicant fails part or all of the initial examination, he may retake the failed part(s) of the examination, upon reapplication and payment of another forty (45) dollars per category fee. If applicant fails the second examination, he may not subsequently retake the examination until one full year has elapsed since the examination was last taken. The payment of all examination fees shall be by check, money order or electronic fund transfer.

(4) Before being approved for taking the examination, the applicant must provide the Commission with satisfactory evidence of his or her qualifications including one of the following:

(a) Two (2) years of actual service experience as an employer, employee or owner-operator in the Structural Pest Control category(ies) in which certification is sought. One (1) year shall have been within the last five (5) years. Specialized category training under university or college supervision may be substituted for practical experience at the ratio of one year of training for one-fourth year experience. Applicants for examination in the category of fumigation shall submit a list, with the application for examination, of at least 6 fumigation treatments in which the applicant participated.

(b) A degree from a recognized College or University with advanced training or a major in entomology, sanitary or public health engineering, or related subjects and one (1)

year of actual service experience within the last five years under appropriate supervision in the category(ies) in which certification is sought.

(5) Any person whose certification has previously been suspended or canceled for any reason other than failure to earn the required hours of recertification training credit shall apply in person to the Commission before he or she may retake the examination.

(6) Applicants shall demonstrate competency in the use and handling of pesticides as determined by an appropriate and written examination, covering standards set forth in Title 40 of the Code of Federal Regulations, Paragraphs 171.4(b), 171.4(c)(7), and 171.6, as applicable by scoring a grade of at least seventy (70%) on the general section and each category section in which certification is sought.

(7) All licenses shall be displayed in a conspicuous place in the licensed office and the duplicate in the sub-office. All operators and employees shall carry their certification and registration cards on their person at all times when they are soliciting or performing pest control.

(8) A person who has passed the examination(s) must apply for and complete the requirements for certification within ninety (90) days of the date he or she is notified of passing the examination(s), otherwise, reexamination will be required.

**620-3-.02 Responsibilities of the Licensee; Certified Operator; and Employee.  
Amended.**

(1) Each licensee shall designate a Certified Operator for each operational category, who may be the same person if certified in multiple categories, who shall be an employee of the licensee and be in charge of and actively participate in providing adequate personal supervision in the pest control operations of each office and any sub-offices with a duplicate license but are not limited to proper training of employees, review of paperwork for the operation for accuracy including but not limited to The Official Waiver of the Minimum Treatment Standards for the Control of Subterranean Termites and Official Georgia Wood Infestation Inspection Reports, reviewing proper pesticide application volumes, and ensuring the proper use, storage and disposal of pesticides, subject to the following:

(a) The licensee shall be responsible for the actions of its Designated Certified Operator. No Certified Operator may serve as Designated Certified Operator for more than one licensee except as provided in Rule 620-3-.02(1)(b) below.

(b) No pesticide application may be made by a licensee without a Designated Certified Operator. If a licensee loses a Designated Certified Operator through an unplanned separation or event of crisis, other than the intentional or forced transfer of a Designated Certified Operator from one licensee or office to another, the licensee shall notify the Commission immediately. A licensee who has lost his Designated Certified Operator may obtain the services of a Certified Operator who is in the employment of another licensee, and who may serve as the Designated Certified Operator for both licensees for not more than ninety (90) days. The licensee shall notify the Commission immediately of the dual service of such Designated Certified Operator.

(c) If the residence of the Designated Certified Operator is not within normal commuting distance or is more than 100 miles from the office or sub-office he is supervising, or if the Designated Certified Operator is employed in more than one (1) occupation, the Commission may require such Designated Certified Operator to appear in person or furnish information in writing to show that he or she is personally directing, supervising and controlling the pest control activities of the licensee.

(d) The Licensee shall permanently mark all the Licensee's vehicles and mobile equipment used regularly for sales and service, in bold-print letters not less than two (2) inches in height and on contrasting background, with the following information:

1. The name of the Licensee.

The Licensee shall insure that all privately owned vehicles and mobile equipment, during use for sales and service on behalf of the Licensee, are identified by the same information as required for the Licensee's vehicles by permanent markings firmly attached to the outside or prominently displayed inside the privately owned vehicle.

(e) The Licensee shall be responsible for registering all non-certified employees involved in the solicitation or performance of pest control work with the Secretary. No employee shall be allowed to solicit any business or perform any pest control work except in the presence of a certified operator or another registered employee until such employee has satisfied all requirements for employee registration or reregistration as set forth below:

1. Ten (10) hours of classroom training approved by the Commission and presented by a currently certified operator or other person whom the Commission has determined to be competent to deliver training in the following areas:

- (i) State and Federal laws and regulations.
- (ii) How to read and interpret a pesticide label.

(iii) Handling of emergencies and spills, including signs and symptoms of common types of pesticide poisoning, emergency practical treatment for pesticide exposure, how to obtain emergency medical care and decontamination procedures.

(iv) Proper methods of storing, mixing, loading, transporting, handling, applying and disposing of pesticides.

(v) Safety and health issues including proper use of personal protective equipment, hazards posed by the toxicity and exposure of pesticides, including acute and delayed reactions and routes of exposure.

(vi) Potential adverse effects caused by various climatic or environmental conditions such as drift, run off, and groundwater contamination.

2. Seventy (70) hours of on-the job experience under the constant personal supervision of a currently certified operator or a currently registered employee in the category(ies) in which registration is sought, or another person whom the Commission has approved as competent to supervise such experience.

3. Documentation of applicant's training and on-the job experience by category. Such documentation shall be on a form prescribed by the Commission and such form shall be executed by the certified operators, registered employees or other persons providing such training and experience.

4. A score of at least seventy (70) percent on a written examination covering the classroom training. Examinations will be administered by the Commission or their authorized representatives. Any applicant who fails the written examination the first time may retake the examination at any subsequent testing session. Any applicant who fails the third or any subsequent examination must repeat the classroom training, but shall not be required to repeat the on the job experience before retaking the written examination. An examination fee of forty five (45) dollars shall be required of the Licensee each time an employee takes the written examination.

5. Payment by the Licensee of a registration fee of ten (10) dollars to the Secretary within ninety (90) days of notification of passing the examination(s), otherwise reexamination will be required.

6. Issuance of an employee registration card by the Secretary. While waiting for the issuance of the registration card, an applicant may act as a registered employee for a period not to exceed 15 business days after notification of a passing grade and after payment of the registration fee by the Licensee until the registration card is received. In the event that a registration card is lost, a duplicate card may be issued by the Secretary for a ten (10) dollar fee.

7. Issuance of a new card by the Secretary for an employee who is employed by a new firm but who has previously satisfied the classroom training, on the job experience and other requirements for initial registration and is currently registered as an employee with another licensee. Fee for issuance of such a registration card will be ten (10) dollars.

8. All employee registrations shall expire on June 30 of each odd numbered year unless the registered employee has earned the hours of recertification training per category approved by the Commission prior to March 1 of each odd numbered year. The registration of any employee who becomes registered after October 1 of any even numbered year shall be eligible for renewal for the succeeding two year period without earning the required recertification hours. The Licensee shall pay the renewal fee of ten (10) dollars to the Secretary by June 30 for any employee who has earned the hours of approved training required, or who is otherwise eligible for renewal. Any renewal fee paid July 1 through September 30 shall be twenty (20) dollars. Any employee who fails to renew registration before October 1 must complete all requirements for initial registration before being

registered again. The hours of Commission approved training required for reregistration for each two year period shall be:

Household Pest Control	8 hours
Wood Destroying Organisms	8 hours
Fumigation	3 hours

Computer based training shall be limited to no more than 4 hours for Household Pest Control, 4 hours for Wood Destroying Organisms, and 1 hour for Fumigation

(9) The Licensee shall notify the Secretary of employees involved in the solicitation or performance of pest control work who fail to become registered within 30 days of employment.

(f) Upon completion of every application of pesticide for structural pest control and upon the installation or modification thereof of any termite control system protecting a structure, the Licensee shall be responsible for providing to the owner, resident, or custodian of the property, a legible pesticide use record. The Licensee shall keep true and accurate records of all pesticide use. Such records shall be retained for a minimum period of two (2) years, shall be made available to the Commissioner or his authorized representative upon request in a reasonable amount of time, as defined in rule 620-2-.01(aa), and shall include all of the following information:

1. Customer name
2. Address of property treated
3. Name and telephone number of company
4. Name of applicator and registration or certification number
5. Specific area(s) treated
6. Brand name of the pesticide product or system applied/installed
  - (i) EPA Registration number of the pesticide product or system applied/installed
  - (ii) Amount of pesticide or other material applied
  - (iii) Concentration of pesticide or other material applied
  - (iv) Method of application of the pesticide product or system applied/installed
7. Target pest(s) for which product was applied
8. Application date
9. Any post-application precautions which must be followed
10. Application start and completion times noting AM or PM for non-residential applications such as institutions, schools and commercial facilities.

(g) The Licensee may provide a written and/or an electronic pesticide use record to the resident or custodian of the property. If an electronic record is provided, the property owner or custodian of the property must complete the electronic communication acknowledgement form. The form must be maintained either for as long as the contract remains in effect or for two (2) years past the expiration of the contract.

(h) The Licensee shall notify the Secretary in writing, within ten (10) days of any change of address or the opening or closing of any office.

(i) All licensees and certified operators shall furnish, to the Commission or the Commissioner upon request in a reasonable amount of time, any information relating to



application for examination, affidavits for renewal, information on methods or materials used and such other information as may be required by the Commission or Commissioner.

(j) All certified operators shall be responsible for giving appropriate written or oral instructions to all persons working under their direct supervision relating to selection and use of appropriate pesticides, including proper formulation, dilution, dosages, and use precautions. Every employee shall take all reasonable measures to insure that pesticides are applied in such a manner to avoid accidental injury or poisoning of humans and domestic animals, including, but not limited to, the removal and proper disposal of any spilled pesticide, and the proper disposal of unused pesticides and pesticide containers. All service vehicles shall contain a spill control kit that shall include an adequate amount of absorptive material to absorb the largest potential spill that is likely to occur from the use of that vehicle.

(k) No uncertified person may lawfully apply, under any circumstances, any restricted use pesticide or any State restricted pesticide use when the labeling for such pesticide or pesticide use or other restriction imposed by the Commissioner requires application only by a certified operator.

(l) All applications of pesticides other than pesticide products which are applied in enclosed stations in compliance with registered product label and labeling directions, by a Licensee to outdoor areas when associated with inside structural applications and extending more than ten (10) feet from the structure shall be subject to the following requirements:

1. At the time of application, the Licensee shall be responsible for posting a sign at the primary point(s) of entry to the treated area(s).

2. Sign specifications shall include:

(i) The sign shall be at least 4" x 5" in size and made of sturdy, weather resistant material.

(ii) The printing shall be in contrasting colors to the background of the sign.

(iii) The bottom edge of the sign shall be eight (8) to twelve (12) inches above the ground.

(iv) The wording and format must include but need not be limited to the following:

"CAUTION" 72 point  
11/16"

"PESTICIDE APPLICATION"  
and "KEEP OFF"  
30 point  
9/32"

SYMBOL 2"

"THIS SIGN..." 11 point  
3/32"



(m) Use and labeling of service containers for transportation or temporary storage of pesticides: the contents of service container is required to identified by including the brand name and EPA registration number of the product on the service container. The label of a pesticide product that is in a service container must be available to the person handling and/or applying the pesticide.

**620-3-.03 Recertification. Amended.**

As a condition for biennial renewal of operator certification under the Act, all certified operators shall be subject to recertification every five (5) years under the standards contained in Title 40, Code of Federal Regulations, 171.4(b), 171.4(c)(7) and 171.6, as applicable. Certified Operators shall complete one of the following requirements prior to expiration of the five (5) year certification period:

(a) Accumulate hours of creditable training at the rate of twenty five (25) hours in Wood Destroying Organisms, twenty five (25) hours in Household Pest Control, and twelve (12) hours in Fumigation. Such creditable training may consist of Commission approved seminars, short courses, workshops or other privately or publicly sponsored training programs that cover changes in technology and other subject matter necessary to insure continued operator competence. Computer based training shall be limited to no more than 10 hours for Wood Destroying Organisms, 10 hours for Household Pest Control, and 5 hours for Fumigation.

All creditable recertification training must be completed at least ninety (90) days prior to the expiration date of the operator certification.

(b) Pass a written examination.

**CHAPTER 620-6**  
**WOOD DESTROYING ORGANISMS**

**620-6-.01 Definitions--Wood Destroying Organisms. Amended.**

(1) Approved pesticide or termiticide--means a pesticide product currently registered by the Environmental Protection Agency and/or the Georgia Department of Agriculture, whose label bears use directions for the control of wood destroying organisms, and including any previously registered pesticide whose use is permitted under the terms of a suspension or cancellation order by the Administrator of EPA or the Commissioner.

(2) Comprehensive Soil Treatment--means the treatment of soils and masonry voids at or near ground level establishing a chemical treatment zone to protect a structure from attack from termites consistent with the requirements of Rule 620-6-.04(1)(a).

(3) Conditions Conducive To Infestation-- means conditions that exist in a structure that favor the development of wood destroying organisms. These are limited to: cellulosic material underneath a building, wood in contact with the soil which has not been treated with preservatives to a minimum preservative retention rate designed for ground contact and ventilation that does not meet the requirements of the Residential Building Code O.C.G.A. Section 8-2-20(9)(B)(i)(VI).

(4) Defined Soil Treatment--means the treatment of select areas of a structure as directed and permitted by a product's label directions to protect a structure from attack from termites consistent with the requirements of Rule 620-6-.04(1)(b).

(5) Structure--means any building, regardless of its design or the type of material used in its construction, whether public or private, vacant or occupied, and adjacent outside areas.

(6) Wood Destroying Organisms Control--means the application of any and all measures for the purpose of controlling termites, powder post beetles, wood boring beetles, wood destroying fungi and any other wood destroying organism in structures and/or adjacent outside areas.

## **620-6-.02 Contracts. Amended.**

(1) Every licensee shall issue a written contract to the property owner or owner's agent covering each job of Wood Destroying Organisms Control, setting forth the following:

(a) The specific type of application to be performed.

(b) The effective date and the contract period;

(c) A diagram consisting of a reasonable depiction of the structure(s) to be treated, indicating the location of any visible active or previous infestation;

(d) The price to be charged, including an estimate of the cost of repairs, replacements or excavation, when such repairs, replacements or excavation are related to the control of Wood Destroying Organisms and are to be performed by the licensee;

(e) The specific terms of any guaranty or warranty and whether they apply to retreatment or repair of damages. Any contract for Wood Destroying Organism Jobs that offers any type of guaranty or warranty shall contain at the top of the first page one of the following statements, in at least one-eighth (1/8) inch letters and blocked in with a heavy black line:

1. This contract provides for retreatment of a structure but does not provide for the repair of damages caused by wood destroying organisms.

2. This contract provides for retreatment of a structure and the repair of damages caused by wood destroying organisms within the limits stated in this contract.

(f) If the licensee has an approved bond, whether or not the work under the contract is to be covered by the bond, and the details of coverage expressed in terms identical to those in the bond itself;

(g) Specific conditions for renewal including:

1. the amount of the renewal fee;

2. the number of years over which the renewal fee will remain fixed;

3. whether or not reinspections of the structure(s) under contract are to be made, and the approximate interval.

(h) Any provision for a limitation of liability based upon any modification or addition to the structure as depicted in the diagram referenced in subsection (b) above shall be set forth in the contract so that the homeowner understands that he is responsible for notifying the pest control company of any modifications or alterations which are made during any contract period.

(i) Contracts for residential structures, not exceeding two (2) units, may not limit the area to be treated.

(2) Every Wood Destroying Organism Control contract shall be signed by the property owner or owner's agent prior to performance of any control measures and the three (3) day right of cancellation shall be disclosed to every contractee in accordance with the Fair Business Practices Act of 1975, and rules of the Federal Trade Commission, 16 C.F.R. 429.

(3) Every Wood Destroying Organism Control contract for treatment which utilizes a bait or baiting system shall contain the following statement in at least one-eighth (1/8) inch

letters and blocked in with a heavy black line "The removal of the bait or baiting system may result in a lack of termite protection".

(4) Every Wood Destroying Organism Control contract for a warranty only, without an initial treatment shall include:

(a) an initial inspection of the structure including a diagram consisting of a reasonable depiction of the structure(s), indicating the location of any visible active or previous infestation, date of inspection;

(b) type of minimum adequate subterranean termite control treatment that will be performed beginning with the first occurrence of termite activity

(c) an annual inspection of the structure

(d) a statement, in at least one-eighth (1/8) inch letters and blocked in with a heavy black line, that states "This contract provides for the inspection of the structure, future treatment of the structure and for the repair of damages caused by wood destroying organisms within the limits stated in this contract"

(5) In addition to all other recordkeeping requirements, the licensee shall maintain reports of all monitoring, inspections and/or reinspections of the structure(s), baits or baiting systems and devices under contract. Such reports shall be provided to the property owner and a copy shall be maintained by the licensee for inspection by the enforcement agency, in a reasonable amount of time, for a period of two (2) years. The reports shall include the date of the monitoring, inspection or reinspection, name of the person performing the monitoring, inspection or reinspection and whether or not Wood Destroying Organisms or signs of termite activity were found.

(6) Copies of all contracts and supporting documentation (pesticide use records, diagrams of the structure and any Exception Form IIs) shall be maintained by the licensee during the contract period and for a period of two (2) years following the date of expiration of the contract.

**620-6-.03 Official Georgia Wood Infestation Inspection Report. Amended.**

(1) The Official Georgia Wood Infestation Inspection Report shall be the written instrument for the purpose of certifying that a structure is apparently free from wood destroying organisms as a basis for transfer of real property and shall be issued only by a pest control operator certified in Wood Destroying Organisms. Such instrument shall carry a guarantee that, if an infestation of wood destroying organisms from which apparent freedom is certified, is found within ninety (90) days from date of issuance, the infested structure(s) shall be treated by the licensee, free of charge subject to the following:

(a) Subterranean Termites - Structures will receive a full minimum adequate treatment pursuant to Paragraph 620-6-.04. However, if a structure has received a full minimum adequate treatment within the past one (1) year, a partial treatment may be made to at least 10 feet in either direction of any and all areas of termite infestation except as defined in Rule 620-6-.07(5).

(b) Powder Post Beetles and Wood Boring Beetles - Structures will receive a minimum adequate treatment pursuant to Paragraph 620-6-.04(3).

(c) Wood Decaying Fungi - Structures will receive a minimum adequate treatment pursuant to Paragraph 620-6-.04(4).

(d) Dry Wood Termites - Structures will receive a minimum adequate treatment pursuant to Paragraph 620-6-.04(5).

(2) For the purpose of this Rule, the form for the Official Georgia Wood Infestation Inspection Report shall conform to the following format which constitutes a part of this Rule.

**OFFICIAL GEORGIA WOOD INFESTATION INSPECTION REPORT**

COMPANY NAME \_\_\_\_\_ LICENSE NO. \_\_\_\_\_  
 ADDRESS \_\_\_\_\_  
 TELEPHONE NO. \_\_\_\_\_ DATE OF ISSUANCE \_\_\_\_\_  
 SELLER \_\_\_\_\_ INSPECTOR \_\_\_\_\_  
 FILE NO. \_\_\_\_\_ PURCHASER(S) \_\_\_\_\_

**SCOPE OF INSPECTION**

AN INSPECTION OF THE BELOW LISTED STRUCTURE(S) WAS PERFORMED BY A QUALIFIED INSPECTOR EMPLOYED BY THIS FIRM TO DETERMINE THE PRESENCE OR PREVIOUS PRESENCE OF AN INFESTATION OF THE LISTED ORGANISMS AND IS NOT INTENDED TO BE A STRUCTURAL REPORT. NEITHER IS THIS A WARRANTY AS TO ABSENCE OF WOOD DESTROYING ORGANISMS. THIS REPORT IS SUBJECT TO ALL CONDITIONS ENUMERATED ON THE REVERSE SIDE AND IS ISSUED WITHOUT WARRANTY OR GUARANTEE EXCEPT AS PROVIDED IN RULE 620-6-.03 OF THE RULES OF THE GEORGIA STRUCTURAL PEST CONTROL ACT OR SUBJECT TO ANY TREATMENT GUARANTEE SPECIFIED BELOW.

MAIN STRUCTURE \_\_\_\_\_

OTHER STRUCTURES (SPECIFY) \_\_\_\_\_

ADDRESS OF STRUCTURE(S) \_\_\_\_\_

INSPECTION REVEALS VISIBLE EVIDENCE OF:	FINDINGS		PREVIOUS INFESTATION	
	ACTIVE INFESTATION		PREVIOUS INFESTATION	
	YES	NO	YES	NO
SUBTERRANEAN TERMITES	_____	_____	_____	_____
POWDER POST BEETLES	_____	_____	_____	_____
WOOD BORING BEETLES	_____	_____	_____	_____
DRY WOOD TERMITES	_____	_____	_____	_____
WOOD DECAYING FUNGUS (Not Molds and Mildews)	_____	_____	_____	_____

WERE ANY AREAS OF THE STRUCTURE OBSTRUCTED OR INACCESSIBLE? \_\_\_\_\_ YES \_\_\_\_\_ NO  
 IF YES, LIST THESE AREAS (SEE ITEM 3 ON REVERSE SIDE OF FORM)

THE FOLLOWING CONDITIONS CONDUCIVE TO INFESTATION FOR WOOD DESTROYING ORGANISMS WERE FOUND AT THE TIME OF INSPECTION. THE LOCATION OF THESE CONDITIONS CONDUCIVE TO INFESTATION ARE INDICATED ON THE ATTACHED DIAGRAM:

REMARKS/ADDITIONAL FINDINGS:

**NOTE:** IF VISIBLE EVIDENCE OF ACTIVE OR PREVIOUS INFESTATION IS REPORTED IT SHOULD BE ASSUMED THAT SOME DEGREE OF DAMAGE IS PRESENT AND A DIAGRAM IDENTIFYING THE STRUCTURE(S) INSPECTED AND SHOWING THE LOCATION OF SUCH EVIDENCE MUST BE ATTACHED TO THIS FORM. EVALUATION OF DAMAGE AND ANY CORRECTIVE ACTION SHOULD BE PERFORMED BY A QUALIFIED INSPECTOR IN THE BUILDING TRADE APPROVED BY THE PURCHASER AND LENDING AGENCY.

**TREATMENT**

**THE ABOVE DESCRIBED STRUCTURE(S) WAS TREATED BY THIS COMPANY AS FOLLOWS:**

ORGANISM	TREATMENT DATE	CONTRACT EXPIRATION	TYPE TREATMENT (CHEMICAL BARRIER, BAIT, WOOD TREATMENT)
SUBTERRANEAN TERMITES	_____	_____	_____
POWDER POST BEETLES	_____	_____	_____
WOOD BORING BEETLES	_____	_____	_____
DRY WOOD TERMITES	_____	_____	_____
WOOD DECAYING FUNGUS	_____	_____	_____

**THE PRESENT TREATMENT WARRANTY (IES) IS:**

- \_\_\_\_\_ TRANSFERABLE TO ANY SUBSEQUENT OWNER OF THE PROPERTY UPON PAYMENT OF A FEE ON OR BEFORE THE EXPIRATION DATE.
- \_\_\_\_\_ NOT TRANSFERABLE TO ANY SUBSEQUENT OWNER OF THE PROPERTY.
- \_\_\_\_\_ THE ABOVE STRUCTURE(S) ARE NOT COVERED BY A TREATMENT CONTRACT WITH THIS COMPANY

THIS STRUCTURE HAS A CURRENT EXCEPTION FORM II ISSUED BY THIS COMPANY \_\_\_\_\_ Yes \_\_\_\_\_ NO  
IF YES, A COPY MUST BE ATTACHED AS PART OF THIS REPORT.

**CERTIFICATION**

THIS IS TO CERTIFY THAT NEITHER I NOR THE COMPANY HAS HAD OR CONTEMPLATES HAVING ANY INTEREST IN THE PROPERTY INVOLVED, NOR IS ACTING IN ANY ASSOCIATION WITH ANY PARTY TO THE TRANSACTION.

\_\_\_\_\_  
SIGNATURE OF DESIGNATED CERTIFIED OPERATOR

\_\_\_\_\_  
SIGNATURE OF PURCHASER OR LEGAL REPRESENTATIVE ACKNOWLEDGING RECEIPT OF REPORT

COPIES TO:

\_\_\_\_\_ PURCHASER \_\_\_\_\_ MORTGAGEE \_\_\_\_\_ REALTOR \_\_\_\_\_ SELLER

Revised 01/14 - Replaces all previous editions

**CONDITIONS GOVERNING THIS REPORT**

1. This report is limited to the five organisms listed.
2. This report covers only those structures listed on the front.
3. Inspection, including sounding and/or probing, was performed in only those areas which were readily accessible. Inaccessible areas not inspected include, but are not limited to areas obstructed by, floor coverings, wall coverings, siding, fixed ceilings, insulation, furniture, appliances or other personal items. The inspection also included a check of company records to determine if the structure has been treated and/or under renewal contract with the company within the past two years for any of the covered organisms. A copy of any current Exception Form II for this structure must be included as part of this report.
4. Reporting of Wood Destroying Fungi on this report is intended to cover only white rot, brown rot or water conducting fungi infestations which occur below the first floor level. This report does not cover the reporting of molds and mildews. Structural Pest Control companies are not responsible for inspecting for molds.
5. The term Wood Boring Beetles as used on the reverse side means only those beetles which are known to establish and maintain a continuing infestation in structures, such as, but not limited to the Old House Borer.
6. Regardless of whether any visible evidence of infestation by any of the listed Wood Destroying Organisms is found during inspection, if an infestation of one or more of these organisms from which apparent freedom was certified is found within 90 days of issuance of this report the property shall receive, free of charge, a minimum adequate treatment for control of the infestation consistent with Rules 620-6-.03(1)(a), (b), (c), and (d), of the Georgia Structural Pest Control Act. Any condition conducive to infestation as defined in item nine (9) below that is known to have existed at the time of inspection and was not reported and is found within one (1) year from the date of the report shall be corrected free of charge by the licensee.
7. This is not a structural report. A wood destroying organism inspector is not ordinarily a construction or building trade expert and is therefore not expected to assess structural soundness. Evaluation and correction of damage which may have resulted from an active or previous infestation should be performed by a qualified inspector in the building trade, who is approved by the purchaser and the lending agency.

8. This report implies no responsibility on the part of the Georgia Department of Agriculture or the Georgia Structural Pest Control Commission to enforce or require anything other than treatment or retreatment to the minimum adequate treatment requirements specified in Rule 620-6-.04.

9. Conditions Conducive To Infestation means conditions that exist in a structure that favor the development of wood destroying organisms. These are limited to: cellulosic material underneath a building, and wood in contact with the soil which has not been treated with preservatives to a minimum preservative retention designed for ground contact and ventilation that does not meet the requirements of the Residential Building Code, O.C.G.A. Section 8-2-20(9)(B)(i)(VI).



## **620-6-.04 Control Measures. Amended.**

(1) Minimum adequate subterranean termite control treatment for post construction shall include the following:

(a) For pesticide products applied as a comprehensive soil termiticide application consistent with registered label directions:

1. Removal of all cellulosic material from underneath the building and removal of any other debris which would interfere with inspection or treatment in such area.

2. Removal of all wooden contacts between buildings and outside soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. The top of all supports for untreated wooden members shall be no closer than six (6) inches to the soil. In no case shall the minimum clearance between untreated wood and soil be less than six (6) inches. This requirement shall apply only to those situations where wood is exposed and by design is not separated from the outside soil line by anything other than air space. Such clearance shall not apply to sill plates or other wooden members of a structure which may be physically closer to the earth than the required clearance but are by design enclosed by and insulated from the earth by brick, stucco or other construction material.

3. Removal of all wooden contacts between buildings and inside soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. In no case shall the minimum clearance between wood and soil in a crawl space be less than eighteen (18) inches.

4. Removal of all visible accessible termite tunnels.

5. Trenching of soil along the outside and inside of foundation walls and around pillars and other supports to a minimum depth of six (6) inches, but not lower than the top of the footing in contact with the soil. Rodding may be performed from the bottom of the trench to lower depths as required. When the top of any footing is exposed and not in contact with the soil, trenching should not extend below the bottom of the footing.

6. Application of approved termiticide.

(i) Approved termiticides shall be those registered by the United States Environmental Protection Agency (EPA) and/or the Georgia Department of Agriculture. Under no circumstances shall the concentration applied be lower than the minimum nor greater than the maximum concentration specified on the product label for the termiticide as a soil termiticide application.

(ii) Rate of application shall be four (4) gallons per ten (10) linear feet per foot of depth from the soil surface to the lesser of either the top of footings or a depth of four (4) feet applied to the trenches and backfill. Soil into which pipes extend from the structure, soil under expansion joints, and soil in any other critical point of potential termite entry must also be treated with the approved termiticide at the above application rate.

(iii) Measures must be taken to prevent the back siphoning of pesticides and the contamination of public water supplies during dilution and filling operations. Do not apply pesticide while precipitation is occurring in any area where the application would be impacted by the precipitation.

(iv) Precautions must be taken to prevent the contamination of wells or cisterns, in or close to the structure being treated.

7. Drilling of all tile, brick, concrete block or other type cavity walls, chimneys, hollow pillars or other similar structure parts and application of the approved

termiticide at a rate of two (2) gallons per ten (10) linear feet. Drilling of concrete blocks or other hollow masonry parts shall be made into the large voids only, as opposed to the vertical mortar joints, at horizontal intervals of no more than twelve (12) inches. Application of the termiticide shall be made through drill holes no more than eighteen (18) inches above the lowest of the soil or slab surfaces contiguous to the opposite side of the vertical wall. In the case of uncapped hollow parts, the termiticide may be applied through the top opening, provided the termiticide is released no higher than eighteen (18) inches above the top of the footing.

8. Treatment of the entire inside perimeter walls of all earth filled porches beneath concrete slabs contiguous to the structure with an approved termiticide at the rate of four (4) gallons per ten (10) linear feet by one of the following:

(i) Making access openings, by removing a six (6) inch band of soil along the entire inside perimeter walls and applying the termiticide in the trench.

(ii) Drilling from the top of the entire perimeter of the slab at intervals of no more than twelve (12) inches and no more than twelve (12) inches from the perimeter wall and applying the termiticide.

(iii) Drilling, rodding, and applying the approved termiticide from the inside of the foundation at no more than twelve (12) inch intervals along the entire inside perimeter and as close as possible to the lower edge of the slab.

(iv) Drilling, rodding, and applying the approved termiticide from the sides of the earth fill along the entire perimeter provided no horizontal rodding distance shall exceed twenty (20) feet.

9. Treatment of all grade level slabs contiguous to the structure with an approved termiticide at the rate of four (4) gallons per ten (10) linear feet by drilling and applying along the entire distance where slab joins any part of structure at intervals of no more than twelve (12) inches and no more than twelve (12) inches from the structure wall.

10. Treatment of all structures with concrete slabs at or above grade level with an approved termiticide at the rate of four (4) gallons per ten (10) linear feet by one of the following:

(i) Treating from the inside by drilling through from the top of the slab and applying the approved termiticide at intervals of no more than twelve (12) inches and no more than twelve (12) inches from the outside edge of slab along the entire perimeter and at all other points of potential termite entry through the slab. After such application all holes shall be securely sealed to prevent any upward movement of the termiticide.

(ii) Treating from the outside by rodding and applying termiticide along and under the entire perimeter of the slab by inserting the rod as close as possible to the lower edge of the slab.

11. Treatment of monolithic slabs by trenching and application of the approved termiticide to the soil along the entire perimeter of the slab at the rate of four (4) gallons per ten (10) linear feet and to any openings through the slab.

12. The Commission, at its discretion, may approve any request of an alternate application technique when such application technique will result in an efficacious use of the termiticide to meet the intent of this Chapter. Such approval may be suspended, cancelled or modified at any time by the Commission.

(b) For pesticide products allowing a defined soil treatment consistent with individual product registered label directions:

1. Removal of all cellulosic material from underneath the building and removal of any

other debris which would interfere with inspection or treatment in such area.

2. Removal of all wooden contacts between buildings and outside soil other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. The top of all supports for untreated wooden members shall be no closer than six (6) inches to the soil. In no case shall the minimum clearance between untreated wood and soil be less than six (6) inches. This requirement shall apply only to those situations where wood is exposed and by design is not separated from the outside soil line by anything other than air space. Such clearance shall not apply to sill plates or other wooden members of a structure which may be physically closer to the earth than the required clearance but are by design enclosed by and insulated from the earth by brick, stucco or other construction material.

3. Removal of all wooden contacts between buildings and inside crawl space soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. In no case shall the minimum clearance between wood and soil in a crawl space be less than eighteen (18) inches.

4. Removal of visible accessible termite tunnels unless specified on the product label.

5. Application of approved termiticide.

(i) Approved termiticides shall be those registered by the United States Environmental Protection Agency (EPA) and/or the Georgia Department of Agriculture.

(ii) Trenching of soil along the outside foundation walls to a minimum depth of six (6) inches, but not lower than the bottom of the footing in contact with the soil. Rodding may be performed from the bottom of the trench to lower depths as required.

(iii) Treatment of all grade level slabs and earth filled porches beneath concrete slabs that are contiguous to the exterior of the structure, including any garage or carport slabs, with an approved termiticide by drilling and applying along the entire distance where slab joins any part of structure at intervals of no more than twelve (12) inches and no more than twelve (12) inches from the structure wall.

(iv) Measures must be taken to prevent the back siphoning of pesticides and the contamination of public water supplies during dilution and filling operations. Do not apply pesticide while precipitation is occurring in any area where the application would be impacted by the precipitation.

(v) Precautions must be taken to prevent the contamination of wells or cisterns, in or close to the structure being treated.

(c) For pesticide products, other than baits designed for the control of termites, applied for purposes other than as a soil termiticide application and when applied consistent with individual product registered label directions:

1. Removal of all cellulosic material from underneath the building and removal of any other debris which would interfere with inspection or treatment in such area.

2. Removal of all wooden contacts between buildings and outside soil other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. The top of all supports for untreated wooden members shall be no closer than six (6) inches to the soil. In no case shall the minimum clearance between untreated wood and soil be less than six (6) inches. This requirement shall apply only to those situations where wood is exposed and by design is not separated from the outside soil line by anything other than air space. Such clearance shall not apply to sill plates or other wooden members of a structure which may be physically closer to the earth than the required clearance but are by design enclosed by and insulated from the earth by brick, stucco or other construction material.

3. Removal of all wooden contacts between buildings and inside crawl space soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. In no case shall the minimum clearance between wood and soil in a crawl space be less than eighteen (18) inches.

4. Removal of visible accessible termite tunnels unless specified on the product label.

5. Application of approved termiticide, taking all precautions necessary to prevent the contamination of wells or cisterns, in or close to the structure being treated. Unless prohibited by the product's label directions, all applications of liquid pesticide applied to the surface of non-decorative or non-finished wood and/or sheathing shall include a sufficient amount of a dye or marker to readily indicate the areas that have been treated.

(d) For pesticide bait products applied for the purpose of controlling termites:

1. Removal of all cellulosic material from underneath the building and removal of any other debris which would interfere with inspection or treatment in such area.

2. Removal of all wooden contacts between buildings and outside soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. The top of all supports for untreated wooden members shall be no closer than six (6) inches to the soil. In no case shall the minimum clearance between untreated wood and soil be less than six (6) inches. This requirement shall apply only to those situations where wood is exposed and by design is not separated from the outside soil line by anything other than air space. Such clearance shall not apply to sill plates or other wooden members of a structure which may be physically closer to the earth than the required clearance but are by design enclosed by and insulated from the earth by brick, stucco or other construction material.

3. Removal of all wooden contacts between buildings and inside crawl space soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. In no case shall the minimum clearance between wood and soil in a crawl space be less than eighteen (18) inches.

4. Removal of visible accessible termite tunnels unless specified on the product label.

5. All termite baits and baiting systems shall be monitored, consistent with the products label and labeling directions, for a minimum period of one year at no additional cost to the property owner when installed for pre-construction treatments or for treatments to control an infestation found during the coverage period of an Official Georgia Wood Infestation Inspection Report.

6. The initial installation of a baiting system shall include a reasonable depiction of the structure noting the approximate locations of all bait or monitoring stations. This diagram shall be maintained for two (2) years past the expiration date of the contract.

7. In addition to all other record keeping requirements, each time there is an inspection or monitoring of a baiting system, the licensee shall record the following:

(a) date of the inspection

(b) results of the inspection for each station

(c) notation of any stations that were not able to be monitored

(d) notation of any additional stations that have been added

(2) Minimum adequate subterranean termite control treatments for pre-construction treatments shall include the following:

(a) For pesticide products applied as a soil termiticide application consistent with registered label and labeling directions:

1. Removal of all cellulosic material from underneath the building and removal of any other debris which would interfere with inspection or treatment in such area.

2. Removal of all wooden contacts between buildings and outside soil, other than those wooden supports which are known to have been treated with preservatives to a minimum preservative retention designed for ground contact. The top of all supports for untreated wooden members shall be no closer than six (6) inches to the soil. In no case shall the minimum clearance between untreated wood and soil be less than six (6) inches. This requirement shall apply only to those situations where wood is exposed and by design is not separated from the outside soil line by anything other than air space. Such clearance shall not apply to sill plates or other wooden members of a structure which may be physically closer to the earth than the required clearance but are by design enclosed by and insulated from the earth by brick, stucco or other construction material.

3. Removal of all wooden contacts between buildings and inside crawl space soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. In no case shall the minimum clearance between wood and soil in a crawl space be less than eighteen (18) inches.

4. Application of approved termiticide.

(i) Approved termiticides shall be those registered by the United States Environmental Protection Agency (EPA) and/or the Georgia Department of Agriculture. Under no circumstances shall the concentration applied be lower than the minimum nor greater than the maximum concentration specified on the product label for the termiticide used as a soil termiticide application. For each application a separate graph of the structure showing the specific areas treated, including any utility areas, shall be prepared. Such graph shall indicate the linear footage of the structure, total square footage of the structure and the volume applied to each area.

(ii) Rate of application shall be four (4) gallons per ten (10) linear feet per foot of depth from the soil surface to the lesser of either the top of footings or a depth of four (4) feet applied to the trenches and backfill. Soil into which pipes extend from the structure, soil under expansion joints, and soil in any other critical point of potential termite entry must also be treated with an approved termiticide at the above application rate. In all treatments, the final termiticide application must be completed within ninety (90) days after the earlier of: (1) the granting of a local "certificate of occupancy" or other like certification that the structure is approved for occupancy; (2) the actual occupancy of the structure by owner, tenant, or otherwise; (3) the closing of a permanent loan on the structure; or (4) the completion of backfilling by the building contractor or owner.

(iii) Rate of application shall be two (2) gallons per ten (10) linear feet to all tile, brick, concrete block or other type cavity walls, chimneys, hollow pillars or other similar structure parts.

(iv) Rate of application to the fill under residential slab structures not exceeding two (2) units shall be at the minimum rate of one (1) gallon per ten (10) square feet.

(v) Measures must be taken to prevent the back siphoning of pesticides and the contamination of public water supplies during dilution and filling operations. Do not apply pesticide while precipitation is occurring in any area where the application would be impacted by the precipitation.

(vi) Precautions must be taken to prevent the contamination of wells or cisterns in or close to the structure being treated.

(b) For pesticide products or devices applied for the purpose of controlling termites other than as a soil termiticide application:

1. Removal of all cellulosic material from underneath the building and removal of any other debris which would interfere with inspection or treatment in such area.

2. Removal of all wooden contacts between buildings and outside soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention rate designed for ground contact. The top of all supports for untreated wooden members shall be no closer than six (6) inches to the soil. In no case shall the minimum clearance between untreated wood and soil be less than six (6) inches. This requirement shall apply only to those situations where wood is exposed and by design is not separated from the outside soil line by anything other than air space. Such clearance shall not apply to sill plates or other wooden members of a structure which may be physically closer to the earth than the required clearance but are by design enclosed by and insulated from the earth by brick, stucco or other construction material.

3. Removal of all wooden contacts between buildings and inside soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. In no case shall the minimum clearance between wood and soil in a crawl space be less than eighteen (18) inches.

4. Removal of visible accessible termite tunnels unless specified on the product label.

5. Application of the approved termiticide or device consistent with all product label directions. Unless prohibited by the product's label directions, all applications of liquid pesticide applied to the surface of non-decorative or non-finished wood and/or sheathing shall include a sufficient amount of a dye or marker to readily indicate the areas that have been treated.

(3) Minimum adequate treatment for control or prevention of wood boring beetles, including powder post beetles, wood borers and old house borers, shall include the application of a pesticide registered by EPA and/or the Georgia Department of Agriculture, in strict accordance with the product's registered directions for use. (a) When infestation is located in a crawl space, treatment shall include the installation of a polyethylene or other water impervious vapor barrier to at least seventy (70) percent of the exposed soil surface in the enclosed space and provide ventilation alterations to the structure to be consistent with the requirements of the Residential Building Code, O.C.G.A. Section 8-2-20(9) (B) (i) (VI).

(4) Minimum adequate treatment for control or prevention of wood destroying fungi shall include the following:

(a) When infestation is located in a crawl space, treatment shall include the installation of a polyethylene or other water impervious vapor barrier to at least seventy (70) percent of the exposed soil surface in the enclosed space and provide ventilation alterations to the structure to be consistent with the requirements of the Residential Building Code, O.C.G.A. Section 8-2-20(9) (B) (i) (VI).

(b) In addition to the above requirements, when an infestation of water conducting fungi is located in a crawl space, control measures shall include the following:

1. Cut the rhizomorphs and scrape visible fungal growth from the foundation walls
2. Removal of all wooden contacts between buildings and inside crawl space soil, other than those wooden supports which have been treated with preservatives to a minimum preservative retention designed for ground contact. In no case shall the minimum clearance between wood and soil in a crawl space be less than eighteen (18) inches.

(5) Minimum adequate treatment for control of dry wood termites shall include the application of an approved pesticide in strict accordance with the product's registered directions for use, or other such methods or techniques which, to the satisfaction of the Commission, have been demonstrated to be effective in controlling this pest.





CONDITIONS GOVERNING THE USE OF THE OFFICIAL WAIVER OF THE MINIMUM TREATMENT STANDARDS  
FOR THE CONTROL OF SUBTERRANEAN TERMITES

1. The Official Waiver of the Minimum Treatment Standards for the Control of Subterranean Termites is intended to be used **ONLY** in situations where it is not possible or practical to meet the minimum treatment standards established by the Georgia Structural Pest Control Commission.
2. The Official Waiver of the Minimum Treatment Standards for the Control of Subterranean Termites is not to be used to bypass the minimum treatment standards nor is it used to notify any agency of government that a termite treatment has been completed. For defined post construction soil treatments and preconstruction soil treatments; only items # 1 and 2 are applicable.
3. By signing this document the property owner/agent acknowledges that the property identified will not receive a complete minimum treatment. Signing this document does not affect the terms of any guarantee between the property owner and the pest control company.
4. Each "no" must be explained in detail in the area provided on the front of this document as to specifically what areas of the structure do not meet the treatment standards and why it is not possible to meet these treatment standards. Additional space is provided below.
5. All sections of this document must be filled out completely. Failure to comply with this requirement or failure to provide the explanation required in "Condition #4" above will constitute a violation involving misuse of this form and may render it void.

Additional Explanations

---

---

---

---

---

---

---

---

Signature of Property Owner/Agent \_\_\_\_\_ Date \_\_\_\_\_

Revised 01/14 - Replaces all previous editions

The Licensee shall return the Inspection Report to the Enforcement Agency within thirty (30) days of its receipt confirming to the Enforcement Agency that all reported deviations from the Minimum Adequate Treatment Standards have been corrected.

(2) The Enforcement Agency may require the licensee to retreat with an approved termiticide any structure(s) initially treated with a registered pesticide as a soil termiticide application, which it finds within five (5) years after the initial treatment was not treated in accordance with the Minimum Adequate Treatment Standard, which were in effect on the date of initial treatment, whether or not such structure has been under renewal contract by the licensee beyond the original treatment contract period. If,

however, a structure has been under continuous contract for more than five (5) years after initial treatment, retreatment may be required by the Enforcement Agency should inadequacies in the Minimum Adequate Treatment Standards be detected within two (2) years after the expiration date of such contract.

(3) On all termite control treatments involving monitoring with a non-pesticidal bait or a registered pesticidal bait, or with any other similar pesticide, when the pesticidal bait or other pesticide is contained in its own receptacle and is not applied directly to the structure or used as a soil termiticide application, the Enforcement Agency may require the licensee to correct any deviations from the Minimum Adequate Treatment Standards in effect on the date of initial treatment. Such requirements may be made at any time the Enforcement Agency finds such deviations within five (5) years of the initial treatment, or if the structure(s) has been under continuous contract for more than five (5) years, corrections may be required by the Enforcement Agency within two (2) years of the expiration date of the contract. It should be understood that correction of deviations apply only to the removal of cellulosic debris, wood to earth contact, and removal of accessible termite tunnels and does not apply to the reinstallation of monitoring or toxicant baits or other pesticide treatments which may have been removed as a condition of the initial contract.

(4) The Enforcement Agency may inspect, for regulatory purposes, any structure within five (5) years of the initial verifiable treatment, or if the structure(s) has been under continuous contract for more than five (5) years, within two (2) years of the expiration date of the contract. The Enforcement Agency may inspect, for regulatory purposes, any structure having an Official Georgia Wood Infestation Inspection Report issued within two (2) years of the issuance of the Report.

(5) Any structure under contract with a licensee found by either the licensee or the Enforcement Agency to have three or more separate areas of active infestation from subterranean termites within a five (5) year period shall receive a complete retreatment in accordance with the Minimum Adequate Treatment Standards.

(6) The Enforcement Agency may require the licensee to retreat, consistent with the requirements of Rule 620-6-.04(1), any structure which it finds was not treated consistent with the requirements of Rule 620-6-.04(2).

**CHAPTER 620-9  
TREATMENT OF SCHOOLS**

**620-9-.01 Treatment of Schools**

(l) Pesticide applications may be made to schools consistent with the following:

(a) All pesticide applications shall be made in a manner that minimizes the exposure of children or students to the pesticide.

(b) Pesticide application may be made to a room only if children or students are not expected to be present in the room for a minimum of three (3) hours after application. If the products label directions specify a longer reentry interval then the longer reentry interval shall apply except as specified in Rule 620-3-.02(3).

(c) Insecticide baits and rodenticide baits in tamper-resistant containers or bait stations as well as botanical insecticides, insect growth regulators and insecticidal soaps may be applied at any time children or students are not present in a room. No reentry interval is required except if specified by the products label directions. These products may be applied to any open area or multi-purpose room if the area within ten (10) feet of the location is secured and no children or students are present within the secured area during the time of application.

(d) Pesticide applications may be made to outdoor school grounds if children or students are not expected to be present within twenty (20) feet of the application site at the time of application except as specified in Rule 620-4-.01(1)(e). These areas must be clearly marked to discourage entry, and secured by a fence or other similar barrier stating the reentry interval. If the application site is not secured by a fence or other similar barrier, pesticide applications may be made to an outdoor school grounds only if children or students are not expected to be in the area for a minimum of three (3) hours after application. If the products label directions specify a longer reentry interval then the longer reentry interval shall apply except as specified in Rule 620-4-.01(1)(c). Such areas shall be clearly marked to discourage entry. All signs required by this section to discourage entry shall be consistent with the requirements of Rule 620-3-.02(1)(1)2.

(e) Insecticide baits and rodenticide baits in tamper resistant containers or bait stations as well as botanical insecticides, insect growth regulators and insecticidal soaps may be applied to outdoor school grounds anytime children or students are not present in the area. No reentry interval is required except if specified by the products label directions.

(f) All pesticide use dilutions must be prepared outside child or student occupied areas of buildings.

(g) All contracts for pest control service and all services provided must be consistent with any published pest management policy of that school system or licensed child daycare facility.